

**PATENT**  
**Attorney Docket No. CTX-092**  
**(120311/168610)**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

|                  |                                                                                        |                   |           |
|------------------|----------------------------------------------------------------------------------------|-------------------|-----------|
| APPLICANTS:      | Schauser et al.                                                                        | CONFIRMATION NO.: | 3140      |
| APPLICATION NO.: | 10/709,141                                                                             | GROUP NUMBER:     | 2169      |
| FILING DATE:     | April 15, 2004                                                                         | EXAMINER:         | Kim, Paul |
| TITLE:           | Methods and Apparatus for Sharing Graphical Screen Data in a Bandwidth-Adaptive Manner |                   |           |

Mail Stop RCE  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT AND RESPONSE TO OFFICE ACTION**

In reply to the Office Action mailed from the United States Patent and Trademark Office on March 30, 2009, the Applicants respectfully submit the following Amendment and Response:

**Amendments to the Claims** begin on page 2 of this paper;

**Remarks** begin on page 7 of this paper; and

**Conclusion** begins on page 13 of this paper.

Through the enclosed Petition, the Applicants respectfully request a two-month extension of the date for reply to August 31, 2009, since August 30, 2009 fell on a Sunday. Applicants hereby authorize the Commissioner to charge the fees associated with the filing of the Petition, and with the Request for Continued Examination submitted herewith, to Deposit Account No. 07-1700. Applicants believe that no additional fees are due; however, in the event that any such fees are due, the Commissioner is hereby also authorized to charge such fees to Deposit Account No. 07-1700.

**AMENDMENTS**

Prior to further examination, please amend the above-identified application as follows: